

ITASCA COUNTY

SUMN.org FACT SHEET

2017

Substance Abuse Prevention

This fact sheet provides county level data on substance use and related factors to help guide decisions about prevention efforts. These data can be used to justify need for prevention funding, monitor substance-related trends, and plan programs and initiatives by establishing community level prevention priorities.


According to 2015 estimates from the U.S. Census Bureau, Itasca County has 45,354 residents; 21% are under the age of 18.

Key Findings

- ➤ Itasca County students are more likely than the state average to report past 30 day use of alcohol, binge drinking, tobacco use, marijuana use, and prescription drug misuse.
- ➤ While cigarette smoking has declined over time, 14% of Itasca County 8th, 9th, and 11th graders reported past month e-cigarette use.
- Among Itasca County 8th, 9th, and 11th graders, those with better teacherstudent relationships were about 3 times less likely to report past month marijuana use.
- ➤ In 2015, 8.3% of motor vehicle crashes in Itasca County were alcohol-related. In comparison, 4.9% throughout the state were alcohol-related.
- From 2000 to 2015, there were 24 opioid deaths in Itasca County. A majority of these deaths (18) have occurred since 2008.

For more information on alcohol, tobacco, and other drug use, consequences, contributing factors, and treatment, as well as mental health data, visit **SUMN.org**

8th, 9th, and 11th Grade Past 30 Day Substance Use, 2016 Minnesota Student Survey (MSS)



^{**}Tobacco includes any past month use of cigarettes, cigars, chewing tobacco, electronic cigarettes and/or hookah.

Adult Substance Use

According to the 2015 Minnesota Survey on Adult Substance Use (MNSASU):

- > Past month binge drinking was reported by 15% of adults in the Northeast region and 14% of Minnesota adults.
- Past month cigarette smoking was reported by 21% of Northeast adults and 16% of Minnesota adults.
- ➤ Past month marijuana use was reported by 6% of adults in the Northeast region compared to 5% of adults statewide.

Youth Substance Use

Data on youth substance use are from the Minnesota Student Survey (MSS); Itasca County students make up 0.9% of the overall statewide sample.

2013 Minnesota Student Survey Itasca County Respondents						
	5 th Grade	8 th Grade	9 th Grade	11 th Grade		
Females	208	174	214	119		
Males	209	193	202	168		
No answer	4	0	0	1		
Total	421	367	416	288		

Past year alcohol and/or drug use was reported by 4% of Itasca 5th graders.

Alcohol

Past 30 day alcohol use was reported by 19% of 8th graders, 23% of 9th graders, and 33% of 11th graders in Itasca County in 2016. Males were less likely than females to report use: 23% vs. 26%. Use among Itasca County 9th graders increased, up from 20% in 2013. Past 30 day binge drinking (defined as having five or more drinks in a row on one occasion) was reported by 7% of 8th graders, 11% of 9th graders, and 19% of 11th graders in 2016.

Tobacco

Twenty-two percent of Itasca County 8th, 9th and 11th graders reported any past 30 day tobacco use; 10% reported smoking cigarettes; 5% reported smoking cigars or cigarillos; 9% reported chewing tobacco use. In addition, 14% reported e-cigarette use, and 4% reported hookah use (questions about these two methods of nicotine use were added to the survey in 2016). Cigarette smoking among 9th graders dropped in Itasca County from 24% in 2001 to 9% in 2016.

Marijuana

Past 30 day marijuana use was reported by 8% of 8th graders, 10% of 9th graders, and 21% of 11th graders in Itasca County in 2013. Males were less likely than females to report use: 11% vs. 13%. Use among 9th graders dropped in Itasca County from 18% in 2001 to 10% in 2013, then remained unchanged in 2016.

Prescription Drug Misuse

Past 30 day prescription drug misuse was reported by 6% of 8th graders, 6% of 9th graders, and 6% of 11th graders in Itasca County in 2016. Specifically, in the past year, students in the three grades combined reported the misuse of stimulants (2%); ADD or ADHD medication (3%); pain relievers (4%); and tranquilizers (2%).

Itasca County 11th
Graders Reporting
How Much They
Typically Drink at
One Time (2016 MSS)



Mental health disorders can increase risk of substance use, and substance use can in turn increase the risk for poor mental health. In addition, numerous risk and protective factors are shared between substance use and mental health outcomes.

To learn more, read the SUMN fact sheet on this topic: http://www.sumn.org/~ /media/498/MENTAL_ HEALTH_2017_SUM N_Fact_Sheet.pdf

Contributing Factors

Low perception of harm, low perception of peer and parental disapproval, and misperception of peer use all contribute to substance use in a community. Factors such as educational engagement and better teacher-student relationships are associated with lower rates of substance use. Percentages can vary by grade level. For data by grade-level, or for more protective factors, visit www.sumn.org.

Perceived Harm

Itasca County 5th, 8th, 9th, and 11thgraders were least likely to believe that people put themselves at great or moderate risk of harm, physically and in other ways, by smoking marijuana once or twice per week: 59%. Perceived great or moderate risk of harm for other substances was as follows— having five or more alcoholic drinks once or twice per week 66%, smoking one or more packs of cigarettes per day 77%, using prescription drug not prescribed for you 80%.

Perceived Disapproval

Among Itasca County 5th, 8th, 9th, and 11th graders, 92% said their parents would think it's very wrong or wrong for them to smoke cigarettes. Similarly, students felt their parents would feel it's very wrong or wrong for them to have one or two drinks of alcohol nearly every day (88%), to smoke marijuana (86%) or to use prescription drugs not prescribed for them (94%). Students were also asked whether their friends would think it's very wrong or wrong for them to use substances. The percent reporting friend disapproval was 74% for marijuana, 75% for alcohol, 88% for prescription drugs, and 81% for cigarettes.

School Factors

Among Itasca County 8th, 9th, and 11th graders, those with better teacher-student relationships were 3.1 times less likely to report past month marijuana use and those with greater educational engagement were 2.7 times less likely to report use. Similar associations are seen with alcohol, tobacco, and prescription drugs.

Misperception of Peer Use

Itasca County 8th, 9th, and 11th graders who think most students at their school drink monthly or more often are almost six times more likely to report that they themselves drink alcohol monthly or more often.

Perceived vs. Actual Use, Itasca County 2016 Minnesota Student Survey				
	8 th Grade	9 th Grade	11 th Grade	
Students reporting they think MOST students in their school drink alcohol once per month or more often	39%	66%	79%	
Students reporting they drink alcohol themselves once per month or more often	8%	14%	24%	
Students reporting they think MOST students in their school use marijuana once per month or more often	30%	60%	74%	
Students reporting they use marijuana themselves once per month or more often	7%	8%	18%	

Consequences

Alcohol


- ➤ The DWI arrest rate for Itasca County residents decreased steadily from 112.1 per 10,000 population in 2006 to 53.7 in 2014, then rose to 66.1 in 2015. The state rate has been lower than Itasca's over the past ten years; in 2015 the state average was 44.7 per 10,000 population (Minnesota Office of Traffic Safety, DPS)
- ➤ In 2015, 8.3% of motor vehicle crashes in Itasca County were alcoholrelated. In comparison, 4.9% throughout the state were alcohol-related (*Crash Facts*, DPS)

Tobacco

➤ From 2006 to 2015, the lung, bronchus and trachea cancer death rate for Itasca County fluctuated with a high of 9.4 per 10,000 population in 2015 and a low of 5.6 in 2009. In comparison the 2015 state average was 4.5 per 10,000 (Minnesota Center for Health Statistics, MDH)

Drugs

- From 2000 to 2015, there were 24 opioid deaths (non-exclusive) in Itasca County. A majority of these deaths (18) have occurred since 2008. From 2000 to 2015 there was one heroin death reported in Itasca County. (Minnesota Center for Health Statistics, MDH)
- ➤ In 2015, there were seven arrests for marijuana in Itasca County, one arrest for opium or cocaine, no arrests for synthetic drugs, and 17 arrests for other drugs--down from 31 in 2014 (*Minnesota Crime Information*, DPS)



Admissions to Treatment for Opioids as the Primary Substance of Abuse among Itasca County Residents Admitted (Drug and Alcohol Abuse Normative Evaluation System)

State Epidemiological Outcomes Workgroup

Minnesota's SEOW has been monitoring substance abuse trends since 2007. The Workgroup helps guide prevention planning at the state level, and provides training and technical assistance to communities. In, 2008 the SEOW launched the Substance Use in Minnesota (SUMN) website to ensure quick and easy access to data for prevention professionals.

SUMN.org

SUMN is a one-stop-shop for data, tools, and prevention resources. Visitors can search county, regional, and state level data by topic, by location, and by demographic producing tables, charts, graphs, and maps. View and download data products, such as this fact sheet, and find tips on finding, analyzing, translating, using, and disseminating data.

Funded by the Minnesota Department of Human Services Alcohol and Drug Abuse Division

Contact Us

For questions or more information regarding the State Epidemiological Outcomes Workgroup or SUMN.org, please email: info@sumn.org

To contact the Regional Prevention Coordinator for your region, please visit: www.rpcmn.org